

09/491,245

L Number	Hits	Search T xt	DB	Tim stamp
1	21073	(univ rsal adj1 serial adj1 bus) r USB	USPAT; US-PGPUB; EPO; JP ; DERWENT; IBM_TDB	2004/02/06 12:06
3	0	(real-mode\$ with driver\$) with ((universal adj1 serial adj1 bus) or USB)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:09
4	0	(real-mode\$ with driver\$) same ((universal adj1 serial adj1 bus) or USB)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:09
5	0	(real-mode\$ with driver\$) and ((universal adj1 serial adj1 bus) or USB)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:10
6	0	real-mode\$ same driver\$ same ((universal adj1 serial adj1 bus) or USB)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 13:50
2	21	real-mode\$ with driver\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:34
7	4	(real-mode\$ with driver\$) and ((CDRW or DVD or ZIP or SuperDisk or floppy or (high adj1 floppy) or HiFD) adj1 drive\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 13:23
8	3818	optical adj storage adj device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:30
9	0	((universal adj1 serial adj1 bus) or USB) and (real-mode\$ with driver\$) and (optical adj storage adj device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:30
10	0	(real-mode\$ with driver\$) and (optical adj storage adj devic)	USPAT; US-P PUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:30

11	261	((rotat\$6 adj magnetic) or (s qu nt\$6 adj tap)) adj st rage\$	USPAT; US-P PUB; EPO; JP ; DERWENT; IBM_TDB	2004/02/06 12:33
12	4076	(ptical adj st rag adj d vic) r (((r tat\$6 adj magnetic) or (sequent\$6 adj tape)) adj storage\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:33
13	0	((optical adj storage adj device) or (((rotat\$6 adj magnetic) or (sequent\$6 adj tape)) adj storage\$)) and (real-mode\$ with driver\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:33
14	156	((optical adj storage adj device) or (((rotat\$6 adj magnetic) or (sequent\$6 adj tape)) adj storage\$)) and ((universal adj1 serial adj1 bus) or USB)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:37
15	0	(real-mode\$ same driver\$) and (((optical adj storage adj device) or (((rotat\$6 adj magnetic) or (sequent\$6 adj tape)) adj storage\$)) and ((universal adj1 serial adj1 bus) or USB))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:36
16	0	real-mode\$ and driver\$ and (((optical adj storage adj device) or (((rotat\$6 adj magnetic) or (sequent\$6 adj tape)) adj storage\$)) and ((universal adj1 serial adj1 bus) or USB))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:36
17	0	real-mode\$ and (((optical adj storage adj device) or (((rotat\$6 adj magnetic) or (sequent\$6 adj tape)) adj storage\$)) and ((universal adj1 serial adj1 bus) or USB))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 13:30
18	13	(((optical adj storage adj device) or (((rotat\$6 adj magnetic) or (sequent\$6 adj tape)) adj storage\$)) and ((universal adj1 serial adj1 bus) or USB)) and DOS	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:37
19	12276	(optical adj storage adj device) OR ((CDRW or DVD or ZIP or SuperDisk or floppy or (high adj1 floppy) or HiFD) adj1 drive\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 13:23
20	54490	real-mode\$ OR DOS	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 13:31

21	62	((optical adj storage adj device) OR ((CDRW or DVD or ZIP or SuperDisk or floppy or (high adj1 floppy) or HiFD) adj1 drive\$)) WITH (real-mode\$ OR DOS)	USPAT; US-PGPUB; EPO; JP ; DERWENT; IBM_TDB	2004/02/06 13:31
22	380	(real-mode\$ OR DOS) NEAR4 DRIVERS\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 13:32
23	172	(real-mode\$ OR DOS) ADJ2 DRIVERS\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 13:32
24	1	((real-mode\$ OR DOS) ADJ2 DRIVERS\$) WITH ((optical adj storage adj device) OR ((CDRW or DVD or ZIP or SuperDisk or floppy or (high adj1 floppy) or HiFD) adj1 drive\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 13:34
25	4	((real-mode\$ OR DOS) ADJ2 DRIVERS\$) SAME ((optical adj storage adj device) OR ((CDRW or DVD or ZIP or SuperDisk or floppy or (high adj1 floppy) or HiFD) adj1 drive\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 13:39
26	4	((real-mode\$ OR DOS) ADJ2 DRIVERS\$) AND ((optical adj storage adj device) OR ((CDRW or DVD or ZIP or SuperDisk or floppy or (high adj1 floppy) or HiFD) adj1 drive\$)) AND ((universal adj1 serial adj1 bus) or USB)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 13:39
27	3	((real-mode\$ OR DOS) ADJ2 DRIVERS\$) AND ((optical adj storage adj device) OR ((CDRW or DVD or ZIP or SuperDisk or floppy or (high adj1 floppy) or HiFD) adj1 drive\$)) AND ((universal adj1 serial adj1 bus) or USB) not (((real-mode\$ OR DOS) ADJ2 DRIVERS\$) SAME ((optical adj storage adj device) OR ((CDRW or DVD or ZIP or SuperDisk or floppy or (high adj1 floppy) or HiFD) adj1 drive\$)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 13:48
28	1		USPAT	2004/02/06 13:43
29	1		USPAT	2004/02/06 13:44
30	1		USPAT	2004/02/06 13:44
31	1		USPAT	2004/02/06 13:44
32	1		USPAT	2004/02/06 13:45
33	1		USPAT	2004/02/06 13:45

34	16582	(r c v r\$4 r r st r\$6) n ar3 (applicati n\$ r s ftwar r pr gram\$)	USPAT; US-P PUB; EP ; JP ; DERWENT; IBM_TDB	2004/02/06 14:06
35	0	real-m de\$ same ((univ rsal adj1 s rial adj1 bus) or USB) same ((recover\$4 or restor\$6) near3 (application\$ or software or program\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 13:51
36	0	real-mode\$ and ((universal adj1 serial adj1 bus) or USB) and ((recover\$4 or restor\$6) near3 (application\$ or software or program\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 13:51
38	0	((universal adj1 serial adj1 bus) or USB) same ((recover\$4 or restor\$6) near3 (application\$ or software or program\$))) and (real-mode\$ OR DOS)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 13:52
39	1	((universal adj1 serial adj1 bus) or USB) same ((recover\$4 or restor\$6) near3 (application\$ or software or program\$))) and ((optical adj storage adj device) OR ((CDRW or DVD or ZIP or SuperDisk or floppy or (high adj1 floppy) or HiFD) adj1 drive\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 13:53
37	18	((universal adj1 serial adj1 bus) or USB) same ((recover\$4 or restor\$6) near3 (application\$ or software or program\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 13:53
40	1		USPAT	2004/02/06 14:02
41	1		USPAT	2004/02/06 14:02
42	1		USPAT	2004/02/06 14:02
43	1		USPAT	2004/02/06 14:02
44	1		USPAT	2004/02/06 14:03
45	1		USPAT	2004/02/06 14:04
46	1		USPAT	2004/02/06 14:04
47	1		USPAT	2004/02/06 14:04
48	47821	(recover\$4 or restor\$6) with (application\$ or s ftwar r pr gram\$)	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB	2004/02/06 14:07

49	35	((rec ver\$4 or rest r\$6) with (application\$ r s ftware r pr gram\$)) sam ((univ rsal adj1 s rial adj1 bus) or USB)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:07
50	17	((recover\$4 r r st r\$6) with (applicati n\$ or software or program\$)) same ((universal adj1 serial adj1 bus) or USB)) not ((universal adj1 serial adj1 bus) or USB) same ((recover\$4 or restor\$6) near3 (application\$ or software or program\$)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:09
51	496	((recover\$4 or restor\$6) with (application\$ or software or program\$)) and ((universal adj1 serial adj1 bus) or USB) and (7\$/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:11
52	829	((recover\$4 or restor\$6) with (application\$ or software or program\$)) and ((universal adj1 serial adj1 bus) or USB)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:11
53	0	((recover\$4 or restor\$6) with (application\$ or software or program\$)) and ((universal adj1 serial adj1 bus) or USB)) and (real-mode\$ with driver\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:13
54	50	((recover\$4 or restor\$6) with (application\$ or software or program\$)) and ((universal adj1 serial adj1 bus) or USB) and (7\$/\$.ccls.)) and (real-mode\$ OR DOS)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:13
55	50	((recover\$4 or restor\$6) with (application\$ or software or program\$)) and ((universal adj1 serial adj1 bus) or USB) and (7\$/\$.ccls.)) and (real-mode\$ OR DOS)) and 7\$/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15
56	11	((recover\$4 or restor\$6) with (application\$ or software or program\$)) and ((universal adj1 serial adj1 bus) or USB) and (7\$/\$.ccls.)) and (real-mode\$ OR DOS)) and 714/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:23
57	37	((recover\$4 or restor\$6) with (application\$ or software or program\$)) and ((universal adj1 serial adj1 bus) or USB) and (7\$/\$.ccls.)) and (real-mode\$ OR DOS)) and 71\$/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:33

58	13	((((r cov r\$4 r r st r\$6) with (application\$ r s ftware or program\$)) and ((univ rsal adj1 serial adj1 bus) or USB) and (7\$/\$.ccls.)) and (r al-m d \$ OR D \$)) and 7\$/\$.ccls.) not (((((rec v r\$4 or r stor\$6) with (applicati n\$ r s ftwar or pr gram\$)) and ((universal adj1 serial adj1 bus) or USB) and (7\$/\$.ccls.)) and (real-mode\$ OR DOS)) and 71\$/\$.ccls.)	USPAT; US-P PUB; EP ; JPO; DERWENT; IBM_TDB	2004/02/06 14:51
59	13	((((((recover\$4 or restor\$6) with (application\$ or software or program\$)) and ((universal adj1 serial adj1 bus) or USB) and (7\$/\$.ccls.)) and (real-mode\$ OR DOS)) and 7\$/\$.ccls.) not (((((recover\$4 or restor\$6) with (application\$ or software or program\$)) and ((universal adj1 serial adj1 bus) or USB) and (7\$/\$.ccls.)) and (real-mode\$ OR DOS)) and 71\$/\$.ccls.)) and ((recover\$4 or restor\$6) with (application\$ or software or program\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:52
60	0	(((((((recover\$4 or restor\$6) with (application\$ or software or program\$)) and ((universal adj1 serial adj1 bus) or USB) and (7\$/\$.ccls.)) and (real-mode\$ OR DOS)) and 7\$/\$.ccls.) not (((((recover\$4 or restor\$6) with (application\$ or software or program\$)) and ((universal adj1 serial adj1 bus) or USB) and (7\$/\$.ccls.)) and (real-mode\$ OR DOS)) and 71\$/\$.ccls.)) and ((recover\$4 or restor\$6) with (application\$ or software or program\$))) and (real-mode\$ with driver\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:52